

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| 1 | 2 | 6630926.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:03 |
| - | 1462 | keyboard and ((usb and pci) near bus) and processor | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 16:10 |
| - | 0 | ((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and usbd and (usb near hcd) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 16:11 |
| - | 51 | (keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 16:13 |
| - | 1 | ((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and (secur\$3 near access near10 keyboard near driver) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 16:14 |
| - | 1 | ((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and (secur\$3 near10 keyboard near driver) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 16:15 |
| - | 0 | ((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and "bus traffic monitor" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 16:16 |
| - | 10 | ((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and secur\$3 and monitor\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/29 16:16 |
| - | 9 | ((((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and secur\$3 and monitor\$3) not (((keyboard and ((usb and pci) near bus) and processor) and (usb near10 (driver and controller))) and (secur\$3 near access near10 keyboard near driver))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 09:18 |
| - | 2 | ((control\$3 secur\$3 limit\$3) near10 access\$3 near (keyboard near driver)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 09:20 |
| - | 0 | ((keyboard and (keyboard near driver) and processor and bus)) and (receiv\$3 near packet near keyboard) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 09:23 |
| - | 1 | ((keyboard and (keyboard near driver) and processor and bus)) and (validat\$3 near10 packets) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 09:24 |
| - | 1 | ((keyboard and (keyboard near driver) and processor and bus)) and (communicat\$3 near10 packets near20 processor near10 driver) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 09:25 |

| | | | | |
|---|------|--|---|------------------|
| - | 0 | ((keyboard and (keyboard near driver) and processor and bus)) and (authenticat\$3 near10 packets) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 09:26 |
| - | 0 | ((keyboard and (keyboard near driver) and processor and bus)) and (determin\$3 near10 packets near origin) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 09:27 |
| - | 202 | (keyboard and (keyboard near driver) and processor and bus) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 11:22 |
| - | 1 | | USPAT | 2004/05/02 09:36 |
| - | 1 | | USPAT | 2004/05/02 09:36 |
| - | 1 | | USPAT | 2004/05/02 09:37 |
| - | 1 | | USPAT | 2004/05/02 09:38 |
| - | 1 | | USPAT | 2004/05/02 10:07 |
| - | 1 | | USPAT | 2004/05/02 10:08 |
| - | 1 | | USPAT | 2004/05/02 10:08 |
| - | 1 | | USPAT | 2004/05/02 10:08 |
| - | 1 | | USPAT | 2004/05/02 10:09 |
| - | 1 | | USPAT | 2004/05/02 10:09 |
| - | 0 | | USPAT | 2004/05/02 10:20 |
| - | 0 | | USPAT | 2004/05/02 10:20 |
| - | 1 | | USPAT | 2004/05/02 10:21 |
| - | 1 | | USPAT | 2004/05/02 10:21 |
| - | 1 | | USPAT | 2004/05/02 10:28 |
| - | 1 | | USPAT | 2004/05/02 10:29 |
| - | 1403 | log near in | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 10:40 |
| - | 0 | (log near in) and (local near (login or logon)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 10:41 |
| - | 3 | (log near in) and (keyboard near20 (login or logon)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 10:45 |
| - | 0 | (log near in) and (forc\$3 near20 (local near30 (login or logon))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 11:07 |
| - | 1 | | USPAT | 2004/05/02 10:46 |
| - | 1 | | USPAT | 2004/05/02 10:49 |
| - | 1 | | USPAT | 2004/05/02 10:56 |
| - | 1 | | USPAT | 2004/05/02 10:56 |
| - | 1 | | USPAT | 2004/05/02 10:56 |
| - | 1 | | USPAT | 2004/05/02 10:56 |
| - | 1 | | USPAT | 2004/05/02 10:57 |
| - | 1 | | USPAT | 2004/05/02 10:58 |
| - | 1 | | USPAT | 2004/05/02 10:58 |
| - | 1 | | USPAT | 2004/05/02 10:58 |
| - | 1 | | USPAT | 2004/05/02 10:59 |
| - | 1 | | USPAT | 2004/05/02 10:59 |
| - | 2 | 6629793.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 11:19 |

| | | | | |
|---|-------|--|---|------------------|
| - | 75 | local near (login or logon) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 11:11 |
| - | 0 | ((local near (login or logon)) and ((verif\$3 or validat\$3) near keystrokes) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 11:12 |
| - | 0 | ((local near (login or logon)) and ((verif\$3 or validat\$3) near keyboard) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 11:12 |
| - | 0 | ((local near (login or logon)) and ((verif\$3 or validat\$3) near20 keyboard) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 11:12 |
| - | 32 | ((local near (login or logon)) and (keyboard)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 11:13 |
| - | 2 | 6067589.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 11:19 |
| - | 6 | ((keyboard and (keyboard near driver) and processor and bus)) and (secur\$3 near20 bit) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 12:09 |
| - | 12300 | secur\$3 near20 bit | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 12:09 |
| - | 59 | ((secur\$3 near20 bit) and (keyboard near20 driver)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 12:10 |
| - | 1 | ((secur\$3 near20 bit) and (keyboard near20 driver)) and (assign\$3 near10 (usb near address)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 12:10 |
| - | 1 | ((secur\$3 near20 bit) and (keyboard near20 driver)) and ((usb near address)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 12:11 |
| - | 1 | ((secur\$3 near20 bit) and (keyboard near20 driver)) and (packet near20 (usb near address)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 12:12 |
| - | 0 | ((secur\$3 near20 bit) and (keyboard near20 driver)) and (initializ\$3 near20 keyboard) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/02 12:13 |
| - | 3 | ((secur\$3 near20 bit) and (keyboard near20 driver)) and (initializ\$3 near20 keyboard) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:03 |